(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 18 September 2003 (18.09.2003)

PCT

(10) International Publication Number WO 03/075862 A2

- (51) International Patent Classification7:
- _____
- (21) International Application Number: PCT/GB03/00993
- (22) International Filing Date: 10 March 2003 (10.03.2003)
- (25) Filing Language:

English

A61K 7/00

(26) Publication Language:

English

- (30) Priority Data: 0205504.4
- 8 March 2002 (08.03.2002) GH
- (71) Applicant (for all designated States except US): ACCANTIA HOLDINGS LIMITED [GB/GB]; Alum Rock Road, Birmingham B8 3DZ (GB).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): HEBDITCH, Paul [GB/GB]; 3 Elizabeth Way, Uppingham, Rutland LE15 RPQ (GB). CHISHOLM, Helen [GB/GB]; 8 Rockingham Road, Cottingham, Leicestershire LE15 8XS (GB).
- (74) Agent: HARRISON GODDARD FOOTE; 31 St. Saviourgate, York YO1 8NQ (GB).

- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

 without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

3/075862 A

(54) Title: FORMULATION

(57) Abstract: There is described a skin care product comprising at least one plant extract characterised in that said plant extract is present at less than homeopathic levels.

Formulation

This invention relates to novel skin care product formulations for topical application containing homeopathic quantities of plant extracts that enhance the skins natural repair processes.

The inevitable ageing process of the skin, normally initiated around the age of 30, is characterised by the thinning and wrinkling of the epidermis, combined with the appearance of lines, creases, furrows and age spots. The process is associated with a reduction in the skins' ability to repair and regenerate itself, the gradual breakdown collagen and elastin in the dermal layer, fat loss and the malfunctioning of melanocytes. A number of intrinsic and extrinsic factors contribute to this ageing process. Intrinsic factors include alterations in the body's hormonal balance, whilst the extrinsic factors include the long-term exposure to ultraviolet light and the accumulation of free radicals within the skin.

A plethora of skin care products are known in the art which claim to be able to repair, renew and revitalise ageing skin. Many of these products contain antioxidants, such vitamins A, C and E, which neutralise the effects of free radicals. A number of these skin care products also comprise plant extracts, however the levels of the active components are considered herbal rather than homeopathic. For example, a skin cream composition manufactured by Chanel Inc. (US patent No. 5922331) contains both calendula and aloe vera at a herbal level of 0.2% w/w of the composition, whilst homeopathic levels are considered to be at least 10-fold less. Whereas a homeopathic composition can be defined as containing minute doses of active natural drugs/substances, a herbal composition can be defined as consisting of, or made with aromatic herbs.

Likewise, a cosmetic and dermatological composition for psoriatic skin, scalp treatment and care, described in WO0166079, contains herbal rather than homeopathic levels of plant extracts, ranging from about 0.1 to about 10 % by weight

5

10

15

20

25

of aqueous-alcoholicglyceric extract of the mixture comprising nettle, chelidonia, oak bark, willow bark, calendula, dandelion root, camomile, achillea, dill and parsley.

A further patent, US5723138, provides an adhesive type cosmetic product for removing wrinkles prepared by coating 5-50 parts by weight of the composition comprising 5-40% by weight of vitamin E, 5-50% by weight of vitamin A and 15-60% by weight of concentrated natural aloe extract, and 50-95 parts by weight of an adhesive in a mixture or in a laminate structure on a carrier film

Homeopathic dilutions are often so extreme that they are dismissed by critics as being only a placebo effect. The "doses minimae" or indeed the 'law of infinitesimality', describes the fact that the remedy is given in infinitesimal doses, thereby reducing the remedy's toxicity whilst causing it to act in reverse. The principle of preparation of infinitesimal dilutions was described in Organon, and has changed little, even though it is applied industrially today. Each dilution is a hundredth of the previous one, and is called the first, fourth, thirtieth, or hundredth dilution, depending on the serial order. It is from this process that the name "Hahnemann's centesimal" originates.

According to a first aspect of the invention, we provide a skin care product for topical application comprising at least one plant extract present at homeopathic levels.

Preferably, the plant extract is a component of a homeopathic mix, wherein said homeopathic mix constitutes less than 1% w/w of the total composition.

25

5

More preferably, said homeopathic mix constitutes between 0.25% and 0.5% w/w of the total composition.

More preferably still, said homeopathic mix constitutes 0.38% w/w of the total composition.

Preferably the level of the plant extract is in the range from 0.0001% - 0.1% w/w of said homeopathic mix.

Any conventionally known plant extracts may be used, for example, any homeopathic plant extracts.

In a preferred embodiment of this invention, the plant extracts are selected from the group consisting of; calendula spp, aloe spp, thuya spp, articum spp, viola spp, hamamelis spp, vinca spp, articum spp, camphor spp and nerium spp.

10

20

5

More preferably still, the plant extracts are selected from the group consisting of; calendula officianalis, aloe barbadensis, thuya occidentalis, viola tricolor, camphor, hamamelis virginia, vinca minor, articum lappa and nerium oleander.

The plant extracts have been derived from a number of sources that have already proven and defined homeopathic properties.

Calendula (calendula officianalis) with the common name of Marigold is a herbaceous annual with yellow petals. It is a member of the Compositae family and is native to Europe and naturalized in the United States. The Calendula plant contains essential oils, carotenoids, calenduline, lycopene, saponins, and resins. Calendula's useage is mostly topical in ointments or cremes for skin rashes, abrasions, minor burns, and eczemic conditions.

There are over 200 different species of Aloe, but of these only four are recognized as being of nutritional value to humans and animals. Aloe barbadensis, with the common names of Aloe Vera or Burn plant Aloe is a stemless, stoloniferous, clumpforming plant the medicinal properties of which have been known for some 3500 years ago. The plant was widely used by the Chinese, Egyptians, Greeks and Romans for healing skin-associated problems such as wounds, rashes, skin irritations, sunburns but also for headaches and stomach complaints. The medicinal properties

are found in the resinous sap or yellow juice of the leaves, which contains a mixture of phenolic compounds and polysaccharides, considered to have a soothing and anti-inflammatory effect, which has led them to be used in different cosmetic creams and moisturizers as well as shampoos.

5

10

20

25

30

Thuya Occidentalis with the common name of Cedar Leaf is characterised by its medicinal properties of being an antiseptic, astringent, emollient, expectorant, fungicide, insecticide, sedative, and tonic. It has been shown that chronic conditions such as dermatitis or psoriasis can be diminished, as well as seborrhea of the scalp, dandruff and alopecia.

Arctium lappa having the common name of Burdock is considered as a remedy for eczema, psoriasis, dandruff, rheumatic complaints and cystitis.

Viola tricolor having the common name of violet contains; saponins, salicylates, alkaloids, flavonoids, tannins and mucilage (a plant exude containing protein and carbohydrates), and has been widely used for the treatment of eczema, rashes, psoriasis, acne, skin irritations and itching.

Camphor is a white crystalline substance obtained from the evergreen tree Cinnamonum camphora. Camphor has a strong, penetrating, fragrant odour, a bitter pungent taste and is slightly cold to the touch like menthol leaves. Camphor is often used internally for its calming influence in hysteria, nervousness, neuralgia and diarrhoea and externally as a counter-irritant in rheumatisms, sprains, bronchitis, and inflammatory conditions.

Vinca minor is commonly referred to as the lesser or dwarf periwinkle, its actions relating to the skin include being analgesic, anti-bacterial, anti-microbial, anti-inflammatory, and an astrigent.

Hamamelis virginiana is commonly referred to as witch hazel and it contains varying amounts of active compounds such as flavonoids, tannins (hamamelitannin and proanthocyanidins), small amounts of volatile oil, and other components, which may be responsible for its astringent action.

5

The evergreen shrub Nerium Oleander or commonly called Rose Laurel or Oleander contains the ingredients oleandrin and nerioside. These ingredients are highly toxic at herbal levels but homeopathically are used to treat itching, bleeding and/or chapped skin.

10

15

20

In a preferred embodiment of the invention, a skin product is provided, wherein said skin product is a cleansing balm, and said cleansing balm contains calendula officinalis and at least one other plant extract selected from the group consisting of; aloe spp, thuya spp, articum spp, viola spp, hamamelis spp, vinca spp, articum spp, camphor spp and nerium spp, wherein said plant extracts are present at 0.001-0.1% w/w of said homeopathic mix.

More preferably, the cleansing balm contains calendula officinalis and at least one other plant extract from the group consisting of; aloe barbadensis, thuya occidentalis, articum lappa, viola tricolor, hamamelis virginiana, vinca minor, camphor and nerium oleander, wherein said plant extracts are present at 0.001-0.1% w/w of said homeopathic mix.

25

More preferably still, the cleansing balm contains calendula officinalis and thuya occidentalis at 0.01% and 0.0001% w/w respectively of said homeopathic mix.

In a second preferred embodiment of the invention, a skin product is provided, wherein said skin product is a face mask, and said face mask contains thuya occidentalis and at least one other plant extract selected from the group consisting of; aloe spp, calendula spp, articum spp, viola spp, hamamelis spp, vinca spp, articum spp, camphor spp and nerium spp, wherein said plant extracts are present at 0.001-0.1% w/w of said homeopathic mix.

More preferably, the face mask contains thuya occidentalis and at least one other plant extract from the group consisting of; aloe barbadensis, calendula officinalis, articum lappa, viola tricolor, hamamelis virginiana, vinca minor, camphor and nerium oleander, wherein said plant extracts are present at 0.001-0.1% w/w of said homeopathic mix.

More preferably still, the face mask contains thuya occidentalis and camphor at 0.0001% and 0.01% w/w respectively of said homeopathic mix.

10

15

20

25

30

5

In a third preferred embodiment of the invention, a skin product is provided, wherein the skin product is a purifying wipe, and said purifying wipe is a tissue impregnated with extracts of calendula officinalis and at least one other plant extract selected from the group consisting of; aloe spp, thuya spp, articum spp, viola spp, hamamelis spp, vinca spp, articum spp, camphor spp and nerium spp, wherein said plant extracts are present at 0.001-0.1% w/w of said homeopathic mix.

More preferably, the purifying wipe is a tissue impregnated with calendula officinalis and at least one other plant extract from the group consisting of; aloe barbadensis, thuya occidentalis, articum lappa, viola tricolor, hamamelis virginiana, vinca minor, camphor and nerium oleander, wherein said plant extracts are present at 0.001-0.1% w/w of said homeopathic mix.

More preferably still, the purifying wipe is a tissue impregnated with calendula officinalis and aloe barbadensis both at 0.01% w/w of said homeopathic mix.

In a fourth preferred embodiment of the invention, a skin product is provided, wherein said skin product is a moisturiser for oily skin for use in the mornings, and said moisturiser contains extracts of calendula officinalis and at least one other plant extract selected from the group consisting of; aloe spp, thuya spp, articum spp, viola

spp, hamamelis spp, vinca spp, articum spp, camphor spp and nerium spp, wherein said plant extracts are present at 0.001-0.1% w/w of said homeopathic mix.

More preferably, the moisturiser contains calendula officinalis and at least one other plant extract from the group consisting of; aloe barbadensis, thuya occidentalis, articum lappa, viola tricolor, hamamelis virginiana, vinca minor, camphor and nerium oleander, wherein said plant extracts are present at 0.001-0.1% w/w of said homeopathic mix.

More preferably still, the moisturiser contains calendula officinalis and articum lappa both at 0.01% w/w of said homeopathic mix.

In a fifth preferred embodiment of the invention, a skin product is provided, wherein said skin product is a moisturiser for oily skin for use in the evenings, and said moisturiser contains extracts of calendula officinalis and at least one other plant extract selected from the group consisting of; aloe spp, thuya spp, articum spp, violately, hamamelis spp, vinca spp, articum spp, camphor spp and nerium spp, wherein said plant extracts are present at 0.001-0.1% w/w of said homeopathic mix.

More preferably, the moisturiser contains calendula officinalis and at least one other plant extract from the group consisting of; aloe barbadensis, thuya occidentalis, articum lappa, viola tricolor, hamamelis virginiana, vinca minor, camphor and nerium oleander, wherein said plant extracts are present at 0.001-0.1% w/w of said homeopathic mix.

25

30

15

More preferably still, the moisturiser contains calendula officinalis and articum lappa both at 0.01% w/w of said homeopathic mix.

In a sixth preferred embodiment of the invention, a skin product is provided, wherein said skin product is a moisturiser for dry skin for use in the mornings, wherein said moisturiser contains extracts of at least one plant extract selected from the group

consisting of; calendula spp, aloe spp, thuya spp, articum spp, viola spp, hamamelis spp, vinca spp, articum spp, camphor spp and nerium spp, wherein said plant extracts are present at 0.001-0.1% w/w of said homeopathic mix.

More preferably, the moisturiser contains at least one other plant extract from the group consisting of; calendula officinalis, aloe barbadensis, thuya occidentalis, articum lappa, viola tricolor, hamamelis virginiana, vinca minor, camphor and nerium oleander, wherein said plant extracts are present at 0.001-0.1% w/w of said homeopathic mix.

10

15

More preferably still, the moisturiser contains viola tricolor 0.001% w/w of said homeopathic mix.

In a seventh preferred embodiment of the invention, a skin product is provided, wherein said skin product is a moisturiser for dry skin for use in the evenings, wherein said moisturiser contains extracts of at least one plant extract selected from the group consisting of; calendula spp, aloe spp, thuya spp, articum spp, viola spp, hamamelis spp, vinca spp, articum spp, camphor spp and nerium spp, wherein said plant extracts are present at 0.001-0.1% w/w of said homeopathic mix.

20

25

More preferably, said moisturiser contains at least one plant extract from the group consisting of; calendula officinalis, aloe barbadensis, thuya occidentalis, articum lappa, viola tricolor, hamamelis virginiana, vinca minor, camphor and nerium oleander, wherein said plant extracts are present at 0.001-0.1% w/w of said homeopathic mix.

More preferably still, the moisturiser contains calendula officinalis at 0.01% w/w of said homeopathic mix.

In an eighth preferred embodiment of the invention, a skin product is provided, wherein said skin product is an intensive therapy serum, wherein said serum contains

at least one plant extract selected from the group consisting of; calendula spp, aloe spp, thuya spp, articum spp, viola spp, hamamelis spp, vinca spp, articum spp, camphor spp and nerium spp, wherein said plant extracts are present at 0.001-0.1% w/w of said homeopathic mix.

5

More preferably, said serum contains at least one plant extract from the group consisting of; calendula officinalis, aloe barbadensis, thuya occidentalis, articum lappa, viola tricolor, hamamelis virginiana, vinca minor, camphor and nerium oleander, wherein said plant extracts are present at 0.001-0.1% w/w of said homeopathic mix.

More preferably still, the serum contains articum lappa, hamamelis virginiana, vinca minor and nerium oleander at 0.01%, 0.01, 0.01 and 0.001% w/w respectively, of

said homeopathic mix.

15

10

According to a second aspect of the invention, we provide the use of a homeopathic level of a plant extract in a skin care product for topical application comprising at least one plant extract present at homeopathic levels.

According to a third aspect of the invention, we provide a method of manufacture of a skin care product for topical application, wherein said skin care product comprises at least one plant extract present at homeopathic levels.

According to a fourth aspect of the invention, we provide a method of treatment, wherein skin care product comprising at least one plant extract at homeopathic levels is topically applied to the skin to treat the ageing process.

According to a fifth aspect of the invention, we provide a delivery device for the topical delivery of said skin care product to the skin.

30

Preferably this delivery device is a tissue impregnated with calendula spp and aloe spp at levels less than 0.1%w/w of the total homeopathic mix.

More preferably this delivery device is a tissue impregnated with calendula officinalis and aloe barbadensis at levels less than 0.01%w/w of the total homeopathic mix.

The invention will now be illustrated by way of example only.

10

15

20

25

30

35

EXAMPLE 1: SIMPLE EQUILIBRIUM PURIFYING WIPES

RAWMATERIAL CODE: ATO000 ATO147 ATO527 ATO513 ATO294	Aqua (100%) Aqua (100%) Butylene Glycol (100%) Phenoxyethanol (62.5%), Methylparaben (20%), Ethylparaben (5%), Fropylparaben (5%), Isobutylparaben (5%), Sodium Methylparaben (100%) Aqua (62.8%), Cetearyl Isononanoate (15%), Cetearyl Alcohol (7%), Glyceryl Stearate (3%),	PURIFIED WATER	RAW MATERIAL TRADE NAME: BUTANE-1,3-DIOL PHENONIP NIPAGIN M SODIUM EMULGADE CM	81.79000 3.00000 0.50000 10.00000
~ ~ ~ ~	Jlycerin (3%), Cetyl Palmitate (0.5%), Ceteareth-12 (0.5%), 3enzoic Acid (0.2%)			
	Aqua (94.89%), Hamamelis Virginiana (5%), Methylparaben (0.11%)		NON-ALCOHOLIC WITCH HAZEL	3.0000
03	Sodium Citrate (100%)		TRISODIUM CITRATE	0.45000
	Cit.ic Acid (100%)		CITRIC ACID	0.05000
\circ	Citrus Dulcis (46.9%) Lavandula Hybrida (10%) Citrus Limonum (15%)		. NATURAL CALM 149173	0.05000

100.0000

TOTAL

0.50000

0.36000

EXAMPLE 1 CONTINUED...

RAW MATERIAL TRADE NAME:		· · · · · · · · · · · · · · · · · · ·		EUMULGIN SM1.20 / CRILLET I SUPER	HOMOEOPATHIC MIX 3	HOMOEOPATHIC MIX 3
INCI ADOPTED NAME:	Citrus Aurantium Amara (3%) Pogostemon Cablin (3%) Litsea Cubeba (3%) Citrus Aurantifolia (3%)	Lavandula Angustifolia (1%) Pelargonium Graveolens (3%) Coriandrum Sativum (3%) Salvia Sclarea (3%) Junipcrus Virginia (3%)	Myristica Fragrans (0.5%) Citrus Nobilis (0.5%) Jasminium Grandiflorum (0.5%) Zingiber Officinalis (0.1%) Cupressus Sempervirens (0.5%) Ocinium Basilicum (0.5%) Artemisia Vulgaris (0.5%)	Polysorbate 20 (100%)	Aqua (71.1798%), Alcohol (28.8%),	Calendula Officinalis (0.01%), Aloe Barbadensis (0.01%), Calcium Sulfate (0.0001%), C1 77268:1 (0.0001%)
RAW MATERIAL CODE:				AT0196	AT0373	AT0373
	2	10	S 12	70		25

BNSDOCID: <WO_____03075862A2_I_>

EXAMPLE 2: SIMPLE EQUILIBRIUM WARMING FACE MASK

RAW MATERIAL TRADE NAME: PERCENT:	BUTANE-1,3-DIOL 24.39000 ACTIPHYTE OF FENNEL GL 100P 2.00000	PRICERINE 9091 / GLYCERIN BP/USP / 23.00000 GLYCERIN (VEG)	1.00000	4 149173 0.055000	
RAW MATERIA	BUTANE-1,3-DIOL ACTIPHYTE OF FE	PRICERINE 9091 / GLYCERIN (VEG)	ABIL B8832	NATURAL CALM 149173	
INCI ADOPTED NAME:	Butylene Glycol (100%) Glycerin (97%), Focniculum Vulgare (2%), Phenoxyethanol (1%)	Glycerin (100%)	Bis-PEG/PPG-20/20 Dimethicone (100%)	Citrus Dulcis (46.9%) Lavandula Hybrida (10%) Citrus Limonum (15%) Citrus Aurantium Amara (3%) Pogostemon Cablin (3%) Litsea Cubeba (3%) Citrus Aurantifolia (3%) Lavandula Angustifolia (1%) Pelargonium Graveolens (3%) Coriandrum Sativum (3%) Salvia Sclarea (3%) Juniperus Virginia (3%) Myristica Fragrans (0.5%) Citrus Nobilis (0.5%) Jasminium Grandiflorum (0.5%) Zingiber Officinalis (0.1%) Cupressus Semperviens (0.5%)	Octimum Basilicum (0.3%)
<u>RAW MATERIAL</u> <u>CODE:</u>	AT0147 5 AT0133	AT0342	110 ATO129	ATOSS3 15 20 20	

\$	AT0372	Alcohol (99.9897%), Camphor (0.01%), CI 77268:1 (0.0001%), Calcium Sulfate (0.0001%), Thuya Occidentalis (0.0001%),	HOMOEOPATHIC MIX 2	0.36000
	ATO576	Kaolin (100%)	OCHRE RED CLAY	0.20000
	AT0522	Sodium Silicoaluminate (100%)	MOLECULAR SIEVE 3A POWDER	18.00000
	AT0213	Com Starch Modified (100%)	DRY-FLO AF PURE	900000
	AT0421	Kaolin (100%)	KAOLIN 2747 USP	20.00000
01	ATO809	Paraffinum Liquidum (89.9%). Hydrogenated Butylene/Elhytene/Styrene Copolymer (5%), Hydrogenated Ethylene/Propylene/Styrene Copolymer (5%), BHT (0.1%)	VERSAGEL M-1600	5.00000
			TOTAL	100.0000
15				
	EXAMPLE 3: S	SIMPLE EQUILIBRIUM AM MOISTURISER FOR DRY SKIN	FOR DRY SKIN	
	RAW MATERIAL CODE:	INCI ADOPTED NAME:	RAW MATERIAL TRADE NAME:	PERCENT:
	AT0000	Aqua (100%)	PURIFIED WATER	62.07250
20	ATO505	Methylparaben (100%)	NIPAGIN M / METHYL PARABEN USP	0.20000
	AT0544	Disodium EDTA (100%)	VERSENE NA2 CRYSTALS / NERVANAID BA2 POWDER	0.10000
	AT0631	Propylene Glycol (100%)	MONOPROPYLENE GLYCOL	3.00000
25	ATO640	Panthenol (75%), Aqua (25%)	D-PANTHENOL 75W	0.35000

0.50000	2.00000	0.50000	0.50000	12.00000	0.10000	0.25000	5.00000	2.00000	2.00000	3.00000	3.00000	0.03000	2.00000	1.00000	
SALTPDV	ABIL EM90	LIOVAC 1110	CERABEIL BLANCHIE No. 1	CETIOL CC	NIPASOL M / PROPYL PARABEN USP	VITAMIN E ACETATE	DOW CORNING 344 FLUID	UVINUL T-150	PARSOL 1789	PARSOL MCX / ESCALOL 557 / NEOHELIPAN TYPE AV	EUSOLEX 6300 / PARSOL 5000	MYACIDE PHARMA BP / BRONOPOL	FIRMIDERM LS 9120	BIO-PROTECT	
 Sodium Chloride (100%)	Cetyl PEG/PPG-10/1 Dimethicone (100%)	Hydrogenated Castor Oil (100%)	Cera Alba (100%)	Dicaprylyl Carbonate (100%)	ropylparaben (100%)	Tocopheryl Acetate (100%)	Cyclomethicone (100%)	Octyl Triazone (100%)	Butyl Methoxydibenzoylmethane (100%)	Ethylhexyl Methoxycinnamate (100%)	4-Methylbenzylidene Camphor (100%)	2-Bromo-2-Nitropropane-1,3-Diol (100%)	Terminalia Calappa Leaf Extract (51%), Propylene Glycol (33%), Sambucus Nigra Flower Extract (12.8%), PVP (1%), Tannic Acid (1%), Phenoxyethanol (1.2%)	Aqua (32.9175%), Butylene Glycol (30%), Pyrus Malus (7.5%), Prunus Persica (7.5%), Triticum Vulgare (5%),	norueum vurgare (2%), Panax Ginseng (10%), Phenoxycthanol (0.4%), Methylparaben (0.4%),
ATO702	AT0117	ATO459	AT0172	AT0171	ATO506	AT0224	AT0717	AT0803	AT0622	AT0648	AT0275	AT0143	AT0321	AT0137	
		.		2					10		15		15	25	

Propylparaben (0.4%), Potassium Sorbate (0.08%), Sodium Bisulfite (0.0025%)

0.03750

PERCENT:

0.36000

PRODUCT INFORMATION PACK

EXAMPLE 3 CONTINUED:

RAW MATERIAL TRADE NAME:	NATURAL CALM 149173				НОМОБОРАТНІС МІХ 6	
INCI ADOPTED NAME:	Citrus Dulcis (46.9%) Lavandula Hybrida (10%) Citrus Limonum (15%) Citrus Aurantium Amara (3%) Poeneterman (3hlin (3%)	Litsea Cubeba (3%) Citrus Aurantifolia (3%) Lavandula Angustifolia (1%) Pelargonium Garveolens (3%)	Corlandrum Sarvum (3%) Salvia Sclarea (3%) Juniperus Virginia (3%) Myristica Fragrans (0.5%) Citrus Nobilis (0.5%)	Jasminium Grandiflorum (0.5%) Zingiber Officinalis (0.1%) Cupressus Sempervirens (0.5%) Ocimum Basilicum (0.5%) Artenisia Vulgaris (0.5%)	Aqua (71.1976%) Alcohol (28.8%), Potassium Sulfate (0.001%), Sodium Chloride (0.0001%), Silica (0.0001%),	CI 77268:1 (0.0001%),
RAW MATERIAL CODE:	AT0553				AT0376	
2	9	2 -	2 8	8	25	30

Viola Tricolor (0.001%), Petrolatum (0.0001%)

OISTURISER FOR DRY SKIN	RAW MATERIAL TRADE NAME:
EXAMPLE 4: SIMPLE EQUILIBRIUM PM M	RAW MATERIAL INCI ADOPTED NAME: CODE:
5	

				Time of the second
	RAW MATERIAL CODE:	AL INCIADOPTED NAME:	RAW MATERIAL TRADE NAME:	PERCENT:
	ATO000	Aqua (100%)	PURIFIED WATER	62.50250
	ATO505	Methylparaben (100%)	NIPAGIN M / METHYL PARABEN USP	0.20000
0	AT0342	Glycerin (100%)	PRICERINE 9091 / GLYCERIN BP/USP / GLYCERIN (VEG)	3.00000
	ATO640	Panthenol (75%), Aqua (25%)	D-PANTHENOL 75W	1.35000
	AT0711	Sodium Hyaluronate (100%)	SODIUM HYALURONATE	0.02000
15	AT0100	Allantoin (100%)	ALLANTOIN BPC1934 / ALLANTOIN BP	0.20000
	AT0499	Magnesium Sulfate (50%), Aqua (50%)	MAGNESIUM SULFATE HEPTAHYDRATE	0.70000
	ATO685	Isohexadecane (100%)	PERMETHYL 101A	5.00000
	AT0264	Octyldecanol (100%)	EUTANOL G / ISOFOL 20	5.00000
20	ATO748	Cclearyl Isononanoate (100%)	TEGOSOFT CI	5.00000
25	АТ0223	Sorbitan Isostearate (60%), Hydrogenated Castor Oil (15%), Ccra Alba (15%), Polyglyceryl-3 Ricinoleate (7.5%), Caprylic/Capric Triglyceride (2.5%)	2/015085 DRAGOSAN W/OP	5.00000

000009	0.10000	0.50000	0.03000	3.00000	1.00000		1.00000	1.00000	0.03750
DOW CORNING 344 FLUID	NIPASOL M / PROPYL PARABEN USP	VITAMIN E ACETATE	MYACIDE PHARMA BP / BRONOPOL	FIRMIDERM LS 9120	2/032861 EXTRAPONE GINSENG-SPECIAL		DRAGO-BETA-GLUCAN	DRAGO-BETA-GLUCAN	NATURAL CALM 149173
Cyclomethicone (100%)	Propylparaben (100%)	Tocopheryl Acetate (100%)	2-Bromo-2-Nitropropane-1,3-Diol (100%)	Terminalia Catappa Leaf Extract (51%), Propylene Glycol (33%), Sambucus Nigra Flower Extract (12.8%), PVP (1%), Tannic Acid (1%), Phehoxyethanol (1.2%)	Aqua (38.9%), Ethoxydiglycol (25%), Propylene Glycol (25%), Butylene Glycol (2.5%), Panax Ginseng (5%),	Lactic Acid (2.5%), Glucose (0.2%), Citrle Acid (0.2%), Sodium Benzoate (0.5%), Potassium Sorbate (0.2%)	Aqua (96.02%), Butylene Glycol (1.1%), Glycerin (1.1%), Avena Sativa (1%),	Polassium Sorbate (0.4%) Chlorphenesin (0.19%), Methylparaben (0.19%),	Citrus Dulcis (46.9%) Lavandula Hybrida (10%) Citrus Limonum (15%) Citrus Aurantium Amara (3%) Pogöstemon Cablin (3%) Litsea Cubeba (3%)
AT0717	ATO506	AT0224	A70143	5 AT0321 10	лто2% 15	07 19	AT0287	25 AT0287	лтоssз

EXAMPLE 4 CONTINUED....

PERCENT:			0.36000	TOTAL 100.0000		PERCENT:	71.04750	0.20000	0.20000
RAW MATERIAL TRADE NAME:			HOMOEOPATHIC MIX 7	T	USER FOR OILY SKIN	RAW MATERIAL TRADE NAME:	PURIFIED WATER	CARBOPOL ETD 2001	NIPAGIN M/METHYL PARABEN USP
INCI ADOPTED NAME: Citrus Aurantifolia (1%) Lavandula Angustifolia (1%) Pelargonium Graveolens (3%) Coriandrum Sativum (3%)	Salvia Sclarea (3%) Juniperus Virginia (3%) Myristica Fragrans (0.5%) Citrus Nobilis (0.5%) Jasminium Grandislorum (0.5%)	Lingiber Ontomalis (U. 170) Cupressus Sempervirens (0.5%) Ocinhum Basilicum (0.5%) Artemisia Vulgaris (0.5%)	Aqup (71.1888%), Alcyhol (28.8%), Catchdula Officinalis (0.01%), Potassium Sulfate (0.001%), CI 77268:1 (0.0001%), Silica (0.0001%)		SIMPLE EQUILIBRIUM AM MOISTURISER FOR OILY SKIN	INCI ADOPTED NAME:	Aqua (100%)	Carbomer (100%)	Methylparaben (100%)
RAW MATERIAL CODE:			AT0377		EXAMPLE 5: 5	RAW MATERIAL CODE:	AT0000	ATO176	ATO505
5	10	15	20			25			

EXAMPLE 5 CONTINUED....

RAW MATERIAL CODE:	INCI ADOPTED NAME:	RAW MATERIAL TRADE NAME:	PERCENT:
ATO544	Disodium EDTA (100%)	VERSENE NA2 CRYSTALS / NERVANAID BA2 POWDER	0.10000
AT0767	Cetearyl Glucoside (100%)	TEGOCARE CG90	1.00000
ATO205	Coco-Caprylate/Caprate (100%)	CETIOL LC / WAGLINOL 20080	7.00000
ATO700	Dimethicone (100%)	DOW CORNING 200/100CS FLUID	1.00000
A1'0224	Tocopheryl Acetate (100%)	VITAMIN E ACETATE	0.25000
ATO680	Stearic Acid (100%)	PRISTERENE 9559	0.60000
ATO462	Cetearyl Alcohol (100%)	LAUREX CS	0.60000
AT0622	Butyl Methoxydibenzoylmethane (100%)	PARSOL 1789	2.00000
ATO648	Ethylhexyl Methoxycinnamate (100%)	PARSOL MCX / ESCALOL 557 / NEOHELIPAN TYPE AV	3.00000
ATO689	Phytosphingosine (100%)	PHYTOSPHINGOSINE	0.02000
AT0275	4-Methylbenzylidene Camphor (100%)	EUSOLEX 6300 / PARSOL 5000	3.00000
ATO803	Octyl Triazone (100%)	UVINUL T-150	2.00000
AT0712	Sodium Hydroxide (100%)	CAUSTIC SODA PEARL	0.05500
AT0631	Propylene Glycol (100%)	MONOPROPYLENE GLYCOL	3.00000
AT0578	Nylon-12 (100%)	ORGASOL 2002 D NAT EXTRA COS	1.50000
AT0143	2-Bromo-2-Nitropropane-1,3-Diol (100%)	MYACIDE PHARMA BP / BRONOPOL	0.03000
AT0321	Terminalia Catappa Leaf Extract (51%), Propylene Glycol (33%), Sambucus Nigra Flower Extract (12.8%), PVR (1%), Tanhic Acid (1%),	FIRMIDERM LS 9120	2.00000

21

20

25

BNSDOCID: <WO____03075862A2_I_>

EXAMPLE 5 CONTINUED....

RAW MATERIAL TRADE NAME:	BIO-PROTECT			BIO-PROTECT	NATURAL CALM 149173			
 INCLADOPTED NAME: Plenoxyethanol (1.2%)	Aqua (32.9175%), Butylene Glycol (30%), Pyrus Malus (7.5%), Prunus Persica (7.5%),	Inthoum Vulgare (5%), Hordeum Vulgare (5%), Panax Ginseng (10%), Phenoxyethanol (0.4%), Methylparaben (0.4%),	Ethylparaben (0.4%), Propylparaben (0.4%), Potassium Sorbate (0.08%),	Sodium Bisulfite (0.0025%)	Citus Dulcis (46.9%) Lavandula Hybrida (10%) Citrus Limonum (15%) Citrus Aurantium Amara (3%) Pogostemon Cablin (3%) Litsea Cubeba (3%)	Citrus Aurantifolia (3%) Lavandula Angustifolia (1%) Pelargonium Graveolens (3%) Coriandum Sativum (3%)	Juniperus Virginia (3%) Myristica Fragrans (0.5%) Citrus Nobilis (0.5%) Jasminium Grandiflorum (0.5%)	Lingiper Officinalis (0.1%) Cupressus Sempervirens (0.5%)
RAW MATERIAL CODE:	5 AT0137	10	15	AT0137	AT0553	25	30	35

1.00000

EXAMPLE 5 CONTINUED....

	RAW MATERIAL	INCI ADOPTED NAME:	RAW MATERIAL TRADE NAME:	PERCENT:
S	CODE	Ocimum Basilicum (0.5%) Artemisia Vulgaris (0.5%)		
10	AT0375	Aqua (71.1797%), Alcohol (28.8%), Calcindula Officinalis (0.01%), Arctium Lappa (0.01%), Calcium Sulfate (0.0001%),	HOMOEOPATHIC MIX S	0.36000
		Petrolatum (U.0001%) Silica (0.0001%)	TOTAL	100.0000
	EXAMPLE 6:	SIMPLE EQUILIBRIUM PM MOISTURISER FOR OILY SKIN	FOR OILY SKIN	
		•		
15	RAW MATERIAL CODE:	INGI ADOPTED NAME:	RAW MATERIAL TRADE NAME:	PERCENT:
	ATO000	Aqua (100%)	PURIFIED WATER	75.58250
	A10170	Carbomer (100%)	ULTREZ 10	0.80000
20	AT0640	Panthenol (75%), Aqua (25%)	D-PANTHENOL 75W	1.00000
	AT0711	Sodium Hyaluronate (100%)	SODIUM HYALURONATE	0.02000
	ATO505	Methylparaben (100%)	NIPAGIN M / METHYL PARABEN USP	0.20000
	ATO100	Allantoin (100%)	ALLANTOIN BPC1934 / ALLANTOIN BP	0.20000
	AT0748	Cetcaryl Isononanoate (100%)	TEGOSOFT CI	3.00000
25	AT0126	Glyceryl Stearate (85%),	ARLACEL 165 VS FLAKE	2.50000

EXAMPLE 6 CONTINUED....

	RAW MATERIAL	INCLADOPTED NAME:	RAW MATERIAL TRADE NAME:	PERCENT:
		PEG-100 Stearate (15%)		
2	ATO462	Cetearyl Alcohol (100%)	LAUREX CS	1.50000
	ATO689	Phylosphingosine (100%)	PHYTOSPHINGOSINE	0.02000
	AT0224	J Tocopheryl Acetate (100%)	VITAMIN E ACETATE	0.50000
	AT0551	Tetrahydroxypropyl Ethylenediamine (100%)	NEUTROLTE	2.00000
	ATOI47	Butylene Glycol (100%)	BUTANE-1,3-DIOL	4.00000
10	AT0578	Nylon-12 (100%)	ORGASOL 2002 D NAT EXTRA COS	2.00000
	ATO143	2-Bromo-2-Nitropropane-1,3-Diol (100%)	MYACIDE PHARMA BP / BRONOPOL	0.03000
	AT0321	'Ternhinalia Catappa Leaf Extract (51%), Propylenc Glycol (33%).	FIRMIDERM LS 9120	3.00000
15		Sanbucus Nigra Flower Extract (12.8%), PVP (1%), Tannic Acid (1%), Phenoxyethanol (1.2%)		
20	AT0458	Aqua (47.85%), Sodium Lactate (25%), Sodium PCA (25%), Sodium Reproste (0.65%)	רעכעור	2.00000
25		Glycine (0.25%), Fructose (0.25%), Urea (0.25%), Niccinamide (0.25%), Inositol (0.25%), Lactic Acid (0.25%)		
30	AT0293	Propylene Glycol (50%), Aqua (37.5%), Ginkgo Biloba (10%), Lactic Acid (1.8%),	2/032851 EXTRAPONE GINKGO BILOBA	1.00000

EXAMPLE 6 CONTINUED....

	RAW MATERIAL	INCI/ADOPTED NAME:	RAW MATERIAL TRADE NAME:	PERCENT:
5	3000	Potassium Sorbate (0.2%), Sodium Benzoate (0.5%)		
	AT0945	Zinc PCA (100%)	ZINCIDONE	0.25000
10	AT0374	Aqua (71.1788%), Alcohol (28.8%), Calendula Officinalis (0.01%),	HOMOEOPATHIC MIX 4	0.36000
15		Arctium Lappa (0.01%), Sodium Bicarbonate (0.001%), Calcium Sulfate (0.0001%), Silica (0.0001%)		
	AT0553	Citrus Dulcis (46.9%) Lavandula Hybrida (10%) Citrus Limonum (15%)	NATURAL CALM 149173	0.03750
20		Citrus Aurantium Amara (3%) Pogostemon Cablin (3%) Lisca Cubeba (3%)		
		Citrus Aurantifolia (3%) Lavandula Angustifolia (1%) Deleveration Geographie (1%)		
25		retai gonnum Charcoteus (J./a) Coriandrum Salivum (3%) Salvia Sclarea (3%)		
		Juniperus Virginia (3%) Myristica Fragrans (0.5%)		
30		Citrus Nobilis (0.5%) Jasminium Grandiflorum (0.5%)		
		Zingiber Officinalis (0.1%) Cupressus Sempervirens (0.5%)		

Ocinhim Basilicum (0.5%) Arteniisia Vulgaris (0.5%) TOTAL 100.0000

EXAMPLE 7: SIMPLE EQUILIBRIUM CLEANSING BALM

	RAW MATERIAL CODE:	INCI ADOPTED NAME:	RAW MATERIAL TRADE NAME:	PERCENT:
10	AT0461	Paratifinum Liquidum (100%)	BLANDOL BP/USP / SIRIUS M85 WHITE / FINA VESTAN A80B	6.29000
	ATO809	Paraffinum Liquidum (89.9%), Hydrogenated Butylene/Ethylene/Styrene Copolymer (5%), Hydrogenated Ethylene/Propylene/Styrene Copolymer (5%), BHT (0.1%)	VERSAGEL M-1600	25.00000
15	ATO707	Stearyl Alcohol (100%)	HYFATOL 1895 / LOROL C18/STEARYL ALCOHOL	2.00000
	AT0169	Petroleum Hydrocarbon (100%)	CERAFINE 56-58	20.00000
	AT0154	C12-15 Alkyl Benzoale (100%)	CRODAMOL AB / LINCOL BAS	4.00000
20	ATO840	Petrolatum (100%)	WHITE PETROLEUM JELLY 895 / MERKUR 584 WHITE PETROLEUM JELLY	15.00000
	AT0524	Linmanthes Alba (100%)	MEADOWFOAM SEED OIL	1.00000
	ATO748	Celearyl Isononanoate (100%)	TEGOSOFT CI	10.00000
	ATO264	Octy\$decanol (100%)	EUTANOL G / ISOFOL 20	10.00000
	AT0213	Con Starch Modified (100%)	DRY-FLO AF PURE	1.00000
25	AT0627	Phenoxyethanol (62.5%), Methylparaben (20%),	PHENONIP	0.30000

:1
- 3
\sim 1
图
=
Z
Z
\overline{C}
뙤
PLE
\equiv
S
Σď
63
_

	RAW MATERIAL	INCI ADOPTED NAME:	RAW MATERIAL TRADE NAME:	PERCENT:
5		Butylparaben (5%), Ethylparaben (5%), Propylparaben (5%), Isobutylparaben (2.5%)		
	ATO639	PEG-8 Dilaurate (100%)	PEG 400-DILAURATE	5.00000
10	AT0553	Cirus Dulcis (46.9%) Lavandula Hybrida (10%) Citrus Limonum (15%) Citrus Avrantium Amara (3%)	NATURAL CALM 149173	0.05000
15		Pogostemon Cablin (3%) Litsea Cubeba (3%) Citrus Aurantifolia (3%) Lavandula Angustifolia (1%) Pelargonium Gravcolens (3%) Coriandrum Sativum (3%)		
20		Salvia Sclarca (3%) Juniperus Virginia (3%) Myristica Fragrans (0.5%) Citrus Nobilis (0.5%) Jasminium Grandillorum (0.5%)		
25		Zingiber Officinalis (0.1%) Cupressus Sempervirens (0.5%) Ocimum Basilicum (0.5%) Artemisia Vulgaris (0.5%)		
	AT0371	Alcohol (99.9898%), Calendula Officinalis (0.01%),	HOMOEOPATHIC MIX I	0.36000

20

EXAMPLE 7 CONTINUED:

RAW MATERIAL CODE:	INCI ADOPTED NAME:	RAW MATERIAL TRADE NAME:	<u>Percent:</u>
٨٢٥٤٦١	Thuya Occidentalis (0.0001%), Calcium Sulfate (0.0001%)	HOMOEOPATHIC MIX I	0.36000
EXAMPLE 8: (SIMPLE EQUILIBRIUM INTENSIVE THERAPY SERUM	APY SERUM	
RAW MATERIAL CODE:	INC. ADOPTED NAME:	RAW MATERIAL TRADE NAME:	PERCENT:
A1'0000	Aqua (100%)	PURIFIED WATER	82.45750
AT0176	Carbomer (100%)	CARBOPOL ETD 2001	0.30000
AT0147	Butylene Glycol (100%)	BUTANE-1,3-DIOL	3.00000
ATO640	Pantkenol (75%), Aqua (25%)	D-PANTHENOL 75W	1.30000
AT0711	Sodium Hyaluronate (100%)	SODIUM HYALURONATE	0.02000
ATO505	Methylparaben (100%)	NIPAGIN M / METHYL PARABEN USP	0.10000
ATO100	Allantoin (100%)	ALLANTOIN BPC1934 / ALLANTOIN BP	0.20000
AT0234	DivinyIdimethicone/Dimethicone Copolymer (61%), C12-i3 Pareth-3 (1.5%), C12-i3 Pareth-23 (2%),	DC HMW 2220 NON-IONIC EMULSION	5.00000

EXAMPLE 8 CONTINUED:

	RAW MATERIAL CODE:	INCLADOFTED NAME:	RAW MATERIAL TRADE NAME:	PERCENT:
8		Phenoxyethanol (1%), lodqpropynyl Butylcarbamate (0.008%), Aqua (34.492%)		
	ATOSSI	Tetrahydroxypropyl Ethylenediamine (100%)	NEUTROL TE	0.50000
	ATO804	Retinyl Palmitate (100%)	VITAMIN A PALMITATE	0.10000
	AT0224	Tocopheryl Acetate (100%)	VITAMIN E ACETATE	0.50000
01	AT0255	Bisabolol (100%)	ALPHA-BISABOLOL - RAC. / DRAGOSANTOL 2/012681	0.10000
15	AT0321	Terminalia Catappa Leaf Extract (51%), Propylene Glycol (33%), Sambucus Nigra Flower Extract (12.8%), PVP (1%), Tannic Acid (1%), Phenoxycthanol (1.2%)	FIRMIDERM LS 9120	2.00000
02	ATO727	Aqua (86.399%), Ceramide 3 (1%), Ceramide 6-II (0.5%), Ceramide 1 (0.001%), Phytosphingosine (0.5%),	SK-INFLUX	3.00000
25		Cholesterol (U.3%), Sodjum Lauroyl Lactylate (10%), Carbomer (0.3%), Xanthan Gum (0.3%), Methylparaben (0.3%), Propylparaben (0.2%)		
30	AT0287	Aqua (96.02%), Butylene Glycol (1.1%), Glycerin (1.1%), Avena Sativa (1%),	DRAGO-BETA-GLUCAN	1.00000

EXAMPLE 8 CONTINUED:

PERCENT:	0.03750	0.02500	0.36000
RAW MATERIAL TRADE NAME:	NATURAL CALM 149173	MYACIDE PHARMA BP / BRONOPOL	HOMOEOPATHIC MIX 8
INCI ADOPTED NAME: Potassium Sorbate (0.4%) Chlorphenesin (0.19%), Methylparaben (0.19%),	Cirus Dulcis (46.9%) Lavandula Hybrida (10%) Cirdis Limonum (15%) Cirus Auranitum Amara (3%) Pogòstemon Cablin (3%) Listea Cubeba (3%) Citrus Auranifolia (1%) Citrus Auranifolia (1%) Pelargonium Graveolens (3%) Coriandrum Sativum (3%) Salvia Sclarea (3%) Juniperus Virginia (3%) Myristica Fragrans (0.5%) Citrus Nobilis (0.5%) Zingiber Officinalis (0.1%) Cupressus Sempervirens (0.5%) Ocimum Basilicum (0.5%) Artemisia Vulgaris (0.5%)	2-Bromo-2-Nitropropane-1,3-Diol (100%)	Aqua (71.1689%), Alcohol (28.8%), Hannanclis Virginiana (0.01%), Vinca Minor (0.01%), Arctium Lappa (0.01%), Nerium Oleander (0.001%), Juglans Regia (0.0001%)
RAW MATERIAL CODE:	AT0553 20 20 25	AT0143	AT0378 30

CLAIMS

1. A skin care product comprising at least one plant extract characterised in that said plant extract is present at less than homeopathic levels.

5

2. A skin care product according to claim 1, wherein said plant extract is a component of a homeopathic mix, wherein said homeopathic mix constitutes less than 1% w/w of said skin care product.

10 3. A skin care product according to claim 2, wherein said homeopathic mix constitutes less than 0.5% of said skin care product.

4. A skin care product according to claim 3, wherein said homeopathic mix constitutes 0.38% w/w of said skin care product.

15

5. A skin care product according to claim 1 wherein said plant extract is present at a homeopathic level of less than 0.1% w/w of said homeopathic mix.

20

6. A skin care product according to claim 5, wherein said homeopathic level is in the range of 0.0001% - 0.1% w/w of said homeopathic mix.

- 7. A skin care product according to claim 1, wherein said plant extracts are selected from the group comprising; calendula spp, aloe spp, thuya spp, articum spp, viola spp, hamamelis spp, vinca spp, articum spp, camphor spp and nerium spp.
- 8. A skin care product according to claim 7 wherein said calendula spp is calendula officinalis.
- 9. A skin care product according to claim 8, wherein calendula officinalis is present at a level of 0.0001-0.1% w/w of said homeopathic mix.

10. A skin care product according to claim 9, wherein calendula officinalis is present at a level of 0.1% w/w of said homeopathic mix.

- 11. A skin care product according to claim 7, wherein the aloe spp is aloe barbadensis.
 - 12. A skin care product according to claim 11, wherein aloe barbadensis is present at a level of 0.0001-0.1% w/w of said homeopathic mix.
- 10 13. A skin care product according to claim 12, wherein aloe barbadensis is present at a level of 0.1% w/w of said homeopathic mix.
 - 14. A skin care product according to claim 7, wherein the thuya spp is thuya occidentalis.
 - 15. A skin care product according to claim 14, wherein thuya occidentalis is present at a level of 0.0001-0.1% w/w of said homeopathic mix.
- 16. A skin care product according to claim 15, wherein thuya occidentalis is present at a level of 0.0001% w/w of said homeopathic mix.
 - 17. A skin care product according to claim 7, wherein the articum spp is articum lappa.
- 25 18. A skin care product according to claim 17, wherein articum lappa is present at a level of 0.0001-0.1% w/w of said homeopathic mix.
 - 19. A skin care product according to claim 18, wherein articum lappa is-present at a level of 0.1% w/w of said homeopathic mix.

30

20. A skin care product according to claim 7, wherein the viola spp is viola tricolor.

- 21. A skin care product according to claim 20, wherein viola tricolor is present at a level of 0.0001-0.1% w/w of said homeopathic mix.
 - 22. A skin care product according to claim 21, wherein viola tricolor is present at a level of 0.001% w/w of said homeopathic mix.
- 10 23. A skin care product according to claim 7, wherein camphor is present at a level of 0.0001-0.1% w/w of said homeopathic mix.
 - 24. A skin care product according to claim 23, wherein camphor is present at a level of 0.01% w/w of said homeopathic mix.
 - 25. A skin care product according to claim 7, wherein said plant extract is selected from hamamelis virginiana, vinca minor, articum lappa and nerium oleander.
 - 26. A skin care product which comprises a plurality of plant extracts.
 - 27. A skin care product according to claim 26, wherein the plant extract component comprises an extract from a calundula spp in combination with an extract selected from the group consisting aloe spp, thuya spp, articum spp, viola spp, hamamelis spp, vinca spp, articum spp, camphor spp and nerium spp, wherein individual extracts are present at less than 0.1% of said homeopathic mix.
 - 28. A skin care product according to claim 27, wherein calendula officinalis is in combination with an extract selected from the group consisting aloe spp, thuya spp, articum spp, viola spp, hamamelis spp, vinca spp, articum spp, camphor spp and nerium spp, wherein individual extracts are present at less than 0.1% of said mix.

15

20

25

29. A skin care product according to claim 28, wherein said calendula officinalis is in combination with thuya occidentalis.

- 30. A skin care product according to claim 29, wherein said calendula officinalis and thuya occidentalis extracts are present at between 0.0001-0.1% w/w of said homeopathic mix.
 - 31. A skin care product according to claim 30, wherein said calendula officinalis is present at 0.01% w/w and said thuya occidentalis extract is present at 0.0001% w/w of said homeopathic mix.
 - 32. A skin care product according to claim 28, wherein calendula officinalis is in combination with aloe barbadensis.
- 15 33. A skin care product according to claim 32, wherein said calendula officinalis and said aloe barbadensis extracts are present at between 0.01%-0.1% w/w of said homeopathic mix.
- 34. A skin care product according to claim 33, wherein said calendula officinalis and said aloe barbadensis extracts are present at 0.01% w/w of said homeopathic mix.
 - 35. A skin care product according to claim 28, wherein calendula officinalis is in combination with articum lappa.
 - 36. A skin care product according to claim 35, wherein said calendula officinalis and said articum lappa extracts are present at between 0.01%-0.1% w/w of said homeopathic mix.
- 30 37. A skin care product according to claim 36, wherein said calendula officinalis and said articum lappa extracts are present at 0.01%w/w of said homeopathic mix.

25

38. A skin care product according to claim 26, wherein said plant extract comprises an extract from a thuya spp in combination with an extract selected from the group consisting calendula spp, aloe spp, articum spp, viola spp, hamamelis spp, vinca spp, articum spp, camphor spp and nerium spp, wherein individual extracts are present at less than 0.1% w/w of said homeopathic mix.

- 39. A skin care product according to claim 38, wherein said thuya extract is thuya occidentalis.
- 40. A skin care product according to claim 39, wherein said thuya occidentalis is in combination with camphor.
- 41. A skin care product according to claim 40, wherein said thuya occidentalis and said camphor extracts are present at between 0.0001%-01% w/w of said homeopathic mix.
 - 42. A skin care product according to claim 41, wherein said thuya occidentalis is present at 0.0001% w/w and said camphor extracts is present at 0.1% w/w of said homeopathic mix.
 - 43. A skin care product according to claim 26, wherein the plant extract comprises a combination of at least 2 selected from the following group; hamamelis virginiana, vinca minor, articum lappa and nerium oleander.

44. A skin care product according to claim 43, wherein the plant extract comprises hamamelis virginiana, vinca minor, articum lappa and nerium oleander present between 0.0001-0.1% w/w of said homeopathic mix.

10

20

45. A skin care product according to claim 44, wherein the plant extract comprises hamamelis virginiana at 0.01% w/w, vinca minor at 0.01% w/w, articum lappa at 0.01% w/w and nerium oleander at 0.001% w/w of said homeopathic mix.

- 5 46. A skin care product according to claim 1, wherein said skin care product is a skin cleanser.
 - 47. A skin care product according to claim 46, wherein said skin cleanser is a cleansing balm.
- 48. A skin care product according to claim 47, wherein said cleansing balm contains at least one plant extracts according to claim 26.
- 49. A skin care product according to claim 48, wherein said the plant extracts are calendula officinalis and thuya occidentalis according to claims 29-31.
 - 50. A skin care product according to claim 1, wherein said skin care product is a skin moisturiser.
- 20 51. A skin care product according to claim 50, wherein said skin moisturiser is for dry skin.
 - 52. A skin care product according to claim 50, wherein said skin moisturiser is for oily skin.
 - 53. A skin care product according to claim 51, wherein said moisturiser for dry skin contains at least one plant extract according to claim 26.
- 54. A skin care product according to claim 53, wherein said plant extract is from a calendula spp according to claims 8-10.

25

55. A skin care product according to claim 53, wherein said plant extract is from a viola spp according to claims 20-22.

- 56. A skin care product according to claim 52, wherein said skin moisturiser for oily skin contains at least one plant extract according to claim 26.
 - 57. A skin care product according to claim 56, wherein said plant extracts are calendula spp and articum spp according to claims 35-37.
- 10 58. A skin care product according to claim 1, wherein said skin care product is a face mask.
 - 59. A skin care product according to claim 58, wherein said face mask contains at least one plant extract according to claim 26.
- 60. A skin care product according to claim 59, wherein said plant extracts are camphor spp and thuya spp according to claims 40-42.
- 61. A skin care product according to claim 1, wherein said skin care product is a tissue impregnated with at least one plant extract according to claim 26.
 - 62. A skin care product according to claim 61 wherein said tissue is impregnated with calendula spp and aloe spp according to claims 32-34.
- 25 63. A skin care product according to claim 1, wherein said skin care product is a serum containing at least one plant extract according to claim 26.
 - 64. A skin care product according to claim 63, wherein said scrum contains hamamelis spp, vinca spp, articum spp and nerium spp according to claims 43-45.

30

65. The use of homeopathic levels of plant extracts in the manufacture of skin care products for topical application according to claim 1.

- 66. A method of manufacture of a skin care product for topical application, wherein said skin care product comprises at least one plant extract present at homeopathic levels according to claim 1.
 - 67. A method of treatment, wherein said skin care product according to claim 1 is topically applied to the skin to treat the ageing process.
 - 68. A delivery device for the topical delivery of said skin care product to the skin.
 - 69. A delivery device according to claim 68, wherein said delivery device is a tissue impregnated with calendula spp and aloe spp at levels less than 0.1%w/w of said homeopathic mix.
 - 70. A delivery device according to claim 69, wherein said delivery device is a tissue impregnated with calendula officinalis and aloe barbadensis at levels less than 0.01%w/w of said homeopathic mix.
 - 71. A skin care product containing at least one plant extract at a homeopathic level, substantially as described with reference to the accompanying examples.

30

25

10

15

20

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 18 September 2003 (18.09.2003)

PCT

(10) International Publication Number WO 03/075862 A3

(51) International Patent Classification7:

A61K 7/48

(21) International Application Number: PCT/GB03/00993

(22) International Filing Date: 10 March 2003 (10.03.2003)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: 0205504.4

8 March 2002 (08.03.2002) GE

(71) Applicant (for all designated States except US): ACCAN-TIA HOLDINGS LIMITED [GB/GB]; Alum Rock Road, Birmingham B8 3DZ (GB).

(72) Inventors; and

(75) Inventors/Applicants (for US only): HEBDITCH, Paul [GB/GB]; 3 Elizabeth Way, Uppingham, Rutland LE15 RPQ (GB). CHISHOLM, Helen [GB/GB]; 8 Rockingham Road, Cottingham, Leicestershire LE15 8XS (GB).

(74) Agent: HARRISON GODDARD FOOTE; 31 St. Saviourgate, York YO1 8NQ (GB).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

with international search report

(88) Date of publication of the international search report: 11 December 2003

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

75862

(54) Title: FORMULATION

(57) Abstract: There is described a skin care product comprising at least one plant extract characterised in that said plant extract is present at less than homeopathic levels.

PCT/GB 03/00993

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 A61K7/48

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols) IPC $\,7\,$ A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the International search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, BIOSIS, CHEM ABS Data

C. DOCUM	INTS CONSIDERED TO BE RELEVANT	
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 351 766 A (BOERNER HARRO MED KOMMUNIKAT) 24 January 1990 (1990-01-24) example 9	1-6, 50-52, 65-67
X	DE 198 53 919 A (WIRTH WOLFGANG) 25 May 2000 (2000-05-25) the whole document	1-6,65, 66
X	FR 2 571 256 A (CHICOURI MARCEL) 11 April 1986 (1986-04-11) page 1, line 23 - line 26	1-6,65, 66
X	FR 2 739 027 A (REVEILLAUD MICHELE) 28 March 1997 (1997-03-28) the whole document	1-6,65, 66
	- /	

Further documents are listed in the continuation of box C.	Patent family members are listed in annex.
Special categories of clied documents: A document defining the general state of the art which is not considered to be of particular relevance E earlier document but published on or after the international filing date L document which may throw doubts on priority claim(s) or which is clied to establish the publication date of another citation or other special reason (as specified) O document referring to an oral disclosure, use, exhibition or other means P document published prior to the international filing date but later than the priority date claimed	 *T* later document published after the International filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. *&* document member of the same patent family
Date of the actual completion of the international search 8 August 2003	Date of mailing of the International search report 09/09/2003
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL – 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl. Fax: (+31-70) 340-3016	Authorized officer Fischer, J.P.

Form PCT/ISA/210 (second sheet) (July 1992)

PCT/GB 03/00993

C.(Continu	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	
Category °		Relevant to claim No.
X	US 5 795 573 A (PARADISE LOU) 18 August 1998 (1998-08-18) the whole document	1-6,65, 66
X	US 6 207 163 B1 (HIBBERT LEONIE JENNIFER ET AL) 27 March 2001 (2001-03-27)	1-6, 50-52, 65-67
	the whole document	
X	FR 2 666 228 A (ROUX NICOLE ; ROUX JEAN MARC (FR)) 6 March 1992 (1992-03-06) the whole document	1-7,25, 65-67
X	FR 2 618 677 A (BESNOUIN DIDIER) 3 February 1989 (1989-02-03)	1-7, 14-16, 65,66
	the whole document	
X	EP 0 569 667 A (AHMAD KHALIL) 18 November 1993 (1993-11-18) the whole document	1-6,65, 66
X	DE 196 22 708 A (TOMIC DOBRIVOJE) 11 December 1997 (1997-12-11)	1-10, 25-28, 65,66
	page 2, line 21 - line 33; claims 1-9; example 4	
X	EP 0 279 382 A (LUNEMANN BRIGITTE) 24 August 1988 (1988-08-24) the whole document	1-6,65, 66
X	DE 43 13 383 A (TRAUNBAUER ADOLF;TRAUNBAUER EDITH (DE)) 27 October 1994 (1994-10-27) the whole document	1-6,65, 66
X	FR 2 695 318 A (METSADA ALBERT) 11 March 1994 (1994-03-11) the whole document	1-6, 65-67
P,X	WO 02 060398 A (COLEMAN GEORGE) 8 August 2002 (2002-08-08) claims 1-14	1-7,25
X	DR. RUTH LEVER: "The homeopathic treatment of skin conditions" MIDWIFE, HEALTH VISITOR & COMMUNITY NURSE, vol. 21, no. 4, April 1985 (1985-04), page 134 XP008020453 the whole document	1-8, 50-54, 65-67
	-/	

Form PCT/ISA/210 (continuation of second sheet) (July 1992)

PCT/GB 03/00993

2 12 11	THE REPORT OF THE PARTY OF THE	101/48 03/00993
Category °	ation) DOCUMENTS CONSIDERED TO BE RELEVANT Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Х	DATABASE WPI Section Ch, Week 199644 Derwent Publications Ltd., London, GB; Class B04, AN 1996-441498 XP002250710 & RU 2 053 265 C (LOENKO YU N), 27 January 1996 (1996-01-27) abstract	1-6,65, 66
X	DATABASE MEDLINE 'Online! US NATIONAL LIBRARY OF MEDICINE (NLM), BETHESDA, MD, US; VERBUTA ET AL.: "Research to achieve a homeopathic lotion" Database accession no. NLM9455422 XP002250708 abstract	1-8,65, 66
X	DATABASE MEDLINE 'Online! US NATIONAL LIBRARY OF MEDICINE (NLM), BETHESDA, MD, US; HILL ET AL.: "The efficacy of pRRRikweg gel in the treatment of insect bites: a double-blind, placebo-controlled clinical trial" Database accession no. NLM8861830 XP002250709 abstract	1-7,65,66

PCT/GB 03/00993

Patent document cited in search report		Publication date		Patent family member(s)	Publication date
EP 0351766	A	24-01-1990	DE EP	3824370 A1 0351766 A2	25-01-1990 24-01-1990
DE 19853919	A	25-05-2000	DE	19853919 A1	25-05-2000
FR 2571256	Α	11-04-1986	FR	2571256. A2	11-04-1986
FR 2739027	Α	28-03-1997	FR WO	2739027 A1 9711679 A1	28-03-1997 03-04-1997
US 5795573	A	18-08-1998	NONE		
US 6207163	В1	27-03-2001	ATU WO CA CN DE DK EP GR JP NZ PT RU	195874 T 3601395 A 9611015 A1 2201115 A1 1160353 A 69518655 D1 69518655 T2 783315 T3 0783315 A1 2151609 T3 3034935 T3 10509133 T 293541 A 783315 T 2153883 C2	15-09-2000 02-05-1996 18-04-1996 18-04-1996 24-09-1997 05-10-2000 03-05-2001 18-12-2000 16-07-1997 01-01-2001 28-02-2001 08-09-1998 26-08-1998 31-01-2001 10-08-2000
FR 2666228	Α	06-03-1992	FR	2666228 A1	06-03-1992
FR 2618677	A	03-02-1989	FR AT AU CA CN DE DE EP ES WO JP NZ PT ZA	2618677 A1 78168 T 2135688 A 1327318 C 1031654 A 3872881 D1 3872881 T2 0378549 A1 2013342 A6 8900858 A1 2504389 T 225640 A 88145 A ,B 8805590 A	03-02-1989 15-08-1992 01-03-1989 01-03-1994 15-03-1989 20-08-1992 04-03-1993 25-07-1990 01-05-1990 09-02-1989 13-12-1990 28-11-1989 30-06-1989 28-03-1990
EP 0569667	A	18-11-1993	DE DE DE DE DE DE DE DE DE	4204255 A1 4207636 A1 4216269 A1 4218209 A1 4221818 A1 4234616 A1 4238509 A1 0569667 A2 4212885 A1 4330597 A1 4312109 A1	19-08-1993 16-09-1993 10-02-1994 21-04-1994 30-06-1994 01-09-1994 19-05-1994 18-11-1993 25-11-1993 16-03-1995 20-10-1994
DE 19622708	Α	11-12-1997	DE	19622708 A1	11-12-1997

Form PCT/ISA/210 (petent tamily annex) (July 1992)

PCT/GB 03/00993

Patent document dted in search report		ł	Publication Patent family date member(s)		Publication date	
DE	19622708	A		AT	234105 T	15-03-2003
				ΑU	3170997 A	05-01-1998
				BR	9709539 A	10-08-1999
		•		CA	2257559 A1	11-12-1997
				DE	19780509 D2	05-08-1999
				DE	59709512 D1	17-04-2003
				WO	9746246 A1	11-12-1997
				EP	0914138 A1	12-05-1999
				JP	2000514414 T	31-10-2000
EP	0279382	Α	24-08-1988	DE	3705151 A1	01-09-1988
				AT	65915 T	15-08-1991
				DE	3864034 D1	12-09-1991
				EP	0279382 A2	24-08-1988
				US	5006338 A	09-04-1991
DE	4313383	A	27-10-1994	DE	4313383 A1	27-10-1994
FR	2695318	Α	11-03-1994	IL	103101 A	18-03-1997
				FR	2695318 A1	11-03-1994
				US	5384123 A	24-01-1995
MO	02060398	A	08-08-2002	WO	02060398 A1	08-08-2002
RU	2053265	С	27-01-1996	RU	2053265 C1	27-01-1996